

AQUALUBE CABLE LUBRICANTS

1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

Product Name	Aqualube Cable Lubricants
Product Code	-
Other Names	-
Product Use	Cable hauling operations
Company Name	Cable Laying Products
Address	17 Lombank Street Acacia Ridge QLD 4110
Telephone Number	07 3276 7166
Emergency Telephone	07 3276 7166

2. HAZARDS IDENTIFICATION**NON HAZARDOUS SUBSTANCE. NON DANGEROUS GOODS.**

Not classified as hazardous according to the criteria of NOHSC.

Hazards	-
Risk Phrases	-
Safety Phrases	S2 - Keep out of reach of children.

3. COMPOSITION / INFORMATION ON INGREDIENTS

Ingredient (common name)	CAS Number	Proportion
Ingredients determined not to be hazardous (water and propylene glycol based lubricant)	Proprietary	100%

4. FIRST AID MEASURES

Inhalation	Remove the victim to fresh air. If irritation develops and persists seek medical attention.
Ingestion	Do not induce vomiting. Immediately wash out mouth with water, and then give plenty of water to drink. Seek medical attention.
Skin	Wash thoroughly with water and soap. Ensure contaminated clothing is washed before re-use. If irritation develops and persists seek medical attention.
Eyes	If contact with the eye(s) occurs, wash with copious amounts of water, holding eyelids(s) open. Take care not to rinse contaminated water into the non-affected eye. If irritation develops and persists seek medical attention.
Note to Doctor	Treat symptomatically.

5. FIRE FIGHTING MEASURES

	For major fires call the Fire Brigade. Ensure that an escape path is available from any fire.
Suitable Extinguishing	Use extinguishing media suitable for surrounding environment.

Media	
Hazardous Combustion Products	Oxides of carbon.
Firefighting Equipment	Wear full protective clothing and self-contained breathing apparatus.
Unusual Fire or Explosion Hazards	Non flammable. Non combustible. May evolve toxic fumes in fire conditions.
Hazchem Code	None allocated.

6. ACCIDENTAL RELEASE MEASURES

Spills	<p>Increase ventilation. Evacuate all unnecessary personnel. Wear protective equipment and clothing to minimise exposure. Lubricant is extremely slippery.</p> <p>Contain and place inert absorbent material such as vermiculite, sand or dirt onto spillage. Collect and place into a suitable labelled container. Wash the area with copious quantities of water.</p> <p>If large quantities of this material enter the waterways contact the Environmental Protection Authority or your local Waste Management Authority.</p>
---------------	--

7. HANDLING AND STORAGE

Handling	Exercise normal care in handling. Wear gloves while handling lubricants. Ventilate manholes to avoid any possible build up of fumes.
Storage	Store in a cool, dry, well ventilated area, out of direct sunlight. Store in suitable, labeled containers. Keep containers closed when not in use. Avoid storage of product near materials reactive with water.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Standards (NOHSC)	-
Engineering Controls	Natural ventilation should be adequate under normal use conditions. Where vapours or mists are generated the use of a local exhaust ventilation system.
Respiratory Protection	Avoid breathing of vapours, mists or spray. If excessive vapors or mists are generated, wear a NOHSC approved vapor/mist respirator.
Eye Protection	Safety glasses or goggles as appropriate.
Skin Protection	Rubber gloves recommended.
Hygienic Practices	Eye wash and normal washroom facilities.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	Red, green or blue gel
Odour	Faint odour
Solubility in water	100%
Boiling Point	100°C
Melting point	0.4°C

Vapour Pressure	No information available
Vapour Density (Air = 1)	No information available
Specific Gravity	1.01
pH	7.0
Flammable Limit – Lower	Not applicable
Flammable Limit – Upper	Not applicable
Other Information	Lubricants have no hazardous properties such as corrosive action on materials such as stainless steel, steel, copper, rubber or plastics and do not cause stress cracking to any known types of cable sheathing.

10. STABILITY AND REACTIVITY

Chemical Stability	Stable under normal conditions of use.
Incompatible Materials	No information available
Hazardous Decomposition Products	No information available
Hazardous Polymerization Conditions to Avoid	Will not occur. No information available

11. TOXICOLOGICAL INFORMATION

Routes of Exposure	Inhalation, ingestion, eye and skin
Health effects from likely routes of exposure	Inhalation: May cause irritation to the mucous membrane and upper airways, especially if the material is heated or mists are generated. Ingestion: May cause irritation to the gastrointestinal tract. Symptoms can include nausea, vomiting and diarrhea. Eye: May cause slight eye irritation resulting in redness and stinging. Skin: May cause skin irritation resulting in redness and itching.
Effects of Overexposure	Not known.
Existing Conditions	Not known.
Aggravated by Exposure	
Carcinogenicity	No

12. ECOLOGICAL INFORMATION

Ecotoxicity	No information available.
Mobility	Do not allow material to enter drains or waterways.

13. DISPOSAL CONSIDERATIONS

Disposal methods and containers	Dispose according to applicable local and state government regulations.
Special precautions for landfill or incineration	Please consult your state Land Waste Management Authority for more information

14. TRANSPORT INFORMATION

Not classified as a dangerous good according to the Australian Code for the Transport of Dangerous goods by road or rail.

UN Number Not applicable
Proper Shipping Name Not applicable
Dangerous Goods Class Not applicable
Hazchem Code Not applicable
Packing Group Not applicable
Special Precautions Not applicable

15. REGULATORY INFORMATION

No additional information.

16. OTHER INFORMATION

Last Revision of MSDS Rev 1.0 (05/09/2006)
Prepared by MSDS.COM.AU Pty Ltd www.msds.com.au
Abbreviations Used NOHSC: National Occupational Health and Safety Commission
Emergency Contacts

Cable Laying Products 07 3276 7166
Cable Laying Products – Emergency Number 07 3276 7166
Police and Fire Brigade 000
Poisons Information Centre 13 11 26

The information contained in this material safety data sheet is provided in good faith and is believed to be accurate at the date of issuance. Cable Laying Products makes no representation of the accuracy or comprehensiveness of the information and to the full extent allowed by law excludes all liability for any loss or damage related to the supply or use of the information in this material safety data sheet. MSDS.COM.AU Pty Ltd is not in a position to warrant the accuracy of the data herein. The user is cautioned to make their own determinations as to the suitability of the information provided to the particular circumstances in which the product is used.

Please read instructions / label before using product.